



Terrace awnings

The sun-protecting mood setters



Terrace awnings

The sun-protecting mood setters

Do you want to enjoy the sunny months on your patio? Terrace awnings create shade to enjoy the fresh air and the view on your beautiful garden. A cool terrace, the indoors keep a comfortable temperature and furniture is protected from fading colours by the bright sunshine.

Terrace awnings are primarily used for terrace or patio applications. Thanks to their special construction, this type of awning offers you total freedom of movement beneath the sun protection system and therefore the possibility to furnish the terrace as you like. We offer you an extensive range of options in terms of both appearance and user convenience.

Picca®



4

Furore® Cassette



6

Primo® / Linea®



8

Gota®



10

Oliva®



12

Bella®



14

Jan des Bouvrie



16

Senza®




18

Control systems

To ensure the ease of use of our terrace awnings, we have chosen to equip our products with high quality electrical control systems. Nevertheless a few models are also still manually operational. The electrical control systems offer several options. For instance, you may choose to operate your terrace awning using a wall-mounted switch, remote control unit, or even an app installed on your smartphone or tablet. Ask your local dealer about the possibilities available.





In support of the Dutch Cancer Society (DCS)

For each meter of acrylic fabric sold, € 0,05 is donated to the Dutch Cancer Society (DCS). This helps to make scientific research on skin cancer possible. For more information, please visit the website www.kwf.nl/english. If you are curious about how much the campaign has already achieved, please check www.tibelly.nl.



Picca[®]

Terrace awning



A quality terrace awning does not necessarily have to be expensive. The Picca provides striking proof of this. Thanks to its excellent price/quality ratio and efficient semi-circular design, the Picca has been one of our most popular terrace awnings for several years.

The unique anti-jam system ensures that the awning always closes perfectly from any position. The rock-solid retractable arms ensure a free space under the awning. By using high-quality materials, such as aluminium and stainless steel, this screen is an example of absolute durability. To give it a personal touch and match it to the surroundings you can choose from a wide range of Tibelly acrylic fabrics.




Characteristics

- ☐ Favourable price/quality ratio
- ☐ Wall-mounting concealed behind the awning
- ☐ Fitted using only two supports (up to 4500 mm)
- ☐ Available with covers in matching colour
- ☐ Available with or without valance
- ☐ Available with manual or electrical control system

Maximum dimensions

	Width	Projection
Picca	5500 mm	2500 mm
Picca	5000 mm	3000 mm

Colours



Mounting


Wall mounted
Ceiling mounted

Certifications



Furore[®] Cassette

Terrace awning









The Furore Cassette, a terrace awning known for its beautiful, compact and fully closed design. The wall mounting is concealed behind the awning, thus seamlessly connecting to the facade. It's equipped with an upper roller system and a PVC fabric guide, so the fabric always has sufficient distance from the arms and always closes perfectly. This not only looks beautiful, but the fabric is also fully protected against weather effects.

The rounded cassette provides a striking appearance, both opened and closed. Searching for a terrace awning that combines simplicity and quality with a modern design, the Furore Cassette is your choice.



Characteristics

-  Favourable price/quality ratio
-  Wall-mounting concealed behind the awning
-  Beautiful design with smooth rounded accents
-  Optimal protection against weather effects
-  Available with or without valance
-  Available with manual or electrical control system

Maximum dimensions

	Width	Projection
Furore Cassette	5500 mm	2500 mm
Furore Cassette	5000 mm	3000 mm

Colours



Mounting


Wall mounted
Ceiling mounted

Certifications



Primo[®] Linea[®]

Terrace awning








Our Primo terrace awning distinguishes itself from other models due to the extremely compact design. When closed, the cassette measures just 122 mm high. This makes it one of the most compact terrace awnings on the market. The Linea is almost identical to its sister model, the Primo. It also measures just 122 mm high when closed. The difference between the two models is that a Linea has a fully closed cassette. Therefore the Linea can be applied in larger dimensions than the Primo and the fabric is not partially, but fully protected against the weather.

If you are looking for a terrace awning that occupies little space, without compromising on quality, then the Primo or Linea are the models for you. It's your choice.



Characteristics

-  One of the most compact terrace awnings on the market
-  Smooth rounded accents
-  Mounted using only two supports (up till 4500 mm)
-  Available with or without valance
-  Available with manual or electrical control system

Maximum dimensions

	Width	Projection
Primo	5500 mm	2500 mm
Primo	5000 mm	3000 mm
Linea	6000 mm	2500 mm
Linea	5500 mm	3000 mm

Colours




*Only Primo® **Only Linea®

Mounting

Wall mounted
Ceiling mounted

Certifications



Gota[®]

Terrace awning




The Gota, a highly popular terrace awning due to its design and the wide range of available colours. When closed it has an appealing oval shape. The adjusting device of the Gota is covered behind beautifully finished teardrop covers. These stylistic features do not detract from its quality at all. It can be installed in almost every situation due to its unique installment possibilities. If you are looking for a stylish and high quality terrace awning, then Gota is the model for you.



Characteristics

- ☞ Wide range of colour options
- ☞ Fabric fully protected in cassette
- ☞ Appealing teardrop design
- ☞ Available with or without valance
- ☞ Available with manual or electrical control system

Colours



Maximum dimensions

	Width	Projection
Gota	6000 mm	2500 mm
Gota	5500 mm	3000 mm

Mounting

Wall mounted
Ceiling mounted

Certifications



Oliva[®]






Terrace awning



Oliva's distinguishing features are its olive-shaped appearance, unique adjustment settings and substantial dimensions. These ensure that the Oliva can be fitted in almost any imaginable situation. As a larger version of a Gota, the Oliva is also an attractive addition to your facade, when closed. If you are looking for a stylish and high quality terrace awning with stunning looks, then Oliva is your model.




Characteristics

-  Fabric fully protected in cassette
-  Big shadow covered surface at max dimensions
-  Unique olive-shaped design
-  Available with or without valance
-  Available with manual or electrical control system

Maximum dimensions

	Width	Projection
Oliva	6500 mm	3000 mm
Oliva	6000 mm	3500 mm

Colours



Mounting


- Wall mounted
- Ceiling mounted

Certifications



Bella[®]






Terrace awning



The Bella, it's just as appealing as its name suggests. This Italian beauty is especially intended for the connoisseur in the field of facade design. The stylish designed cassette makes it highly attractive, both when open and closed. The Bella terrace awning offers the ultimate combination of design and quality.




Characteristics

-  Fabric fully protected in cassette
-  Wall-mounting concealed behind the awning
-  Special compact design
-  Available with or without valance
-  Available with manual or electrical control system

Maximum dimensions

	Width	Projection
Bella	6500 mm	2500 mm
Bella	6250 mm	3000 mm

Colours



Mounting


Wall mounted
Reinforced mounting

Certifications



Jan des Bouvrie

Terrace awning



A unique design by Jan des Bouvrie, Netherlands' best known interior and exterior designer. The minimalist design of this terrace awning is largely characterised by its rectangular cassette, which cuts a fine figure against the facade, both when open and closed. If you are a design enthusiast, who wants to combine style with all the benefits of a high quality terrace awning, then the Jan des Bouvrie model is the solution for you.




Characteristics

- ☐ Fabric fully protected in cassette
- ☐ Unique design by Jan des Bouvrie
- ☐ Stylish design on any facade, when open and closed
- ☐ Wall-mounting concealed behind the awning
- ☐ Available with electrical control system

Maximum dimensions

	Width	Projection
Jan des Bouvrie	6500 mm	2500 mm
Jan des Bouvrie	6250 mm	3000 mm

Colours



Mounting


Wall mounted

Certifications



Senza[®]






Terrace awning



The Senza is the most advanced and luxurious terrace awning in our range. Although it's the largest model, this doesn't detract from the quality. The secret lies in its design. The forces acting upon it are evenly spread, thus achieving optimum stability. If you are looking for a high quality and luxurious terrace awning that can spread up to widths up to 15 meters, then the Senza is the solution for you.




Characteristics

-  Awnings linkable up to widths of 15000 mm
-  Optimum stability, thanks to steel support tube
-  Wall-mounting concealed behind the awning
-  Available with or without valance
-  Available with manual or electrical control system

Maximum dimensions

	Width	Projection
Senza	7485 mm	3500 mm
Senza (coupled)	15000 mm	3500 mm

Colours



Mounting

- Wall mounted
- Ceiling mounted

Certifications



Tibelly®

Acrylic fabric



T100 White Uni



T127 Pearl tweed Uni



T121 Light grey Uni



T138 Light grey chiné Uni



T122 Grey Uni



T136 Stone tweed Uni



T367 Slate Uni



T139 Dark grey chiné Uni



T131 Carbon Uni




T365 Charcoal tweed Uni



T368 Black Uni



T103 Naturel Uni



T135 Parchment tweed Uni



T102 Beige Uni



T133 Sand chiné tweed Uni



T366 Taupe Uni



T128 Sepia tweed Uni



T134 Brown Uni



T107 Yellow Uni



T109 Ochre Uni



T340 Orange Uni




T112 Traffic red Uni



T113 Ruby red Uni



T114 Burgundy Uni




T119 Blue Uni



T120 Navy Uni



T132 Lime green Uni




T117 Forest green Uni



T384 Anthracite/grey Block 15 cm




T386 Grey/light grey Block 15 cm



T362 Black/cream Block 15 cm



T356 Grey/cream Block 15 cm




T507 Black/cream Block 10 cm



T515 Grey/cream Block 10 cm




T503 Grey/white Block 10 cm



T254 Anthracite/cream Fantasie Meerij



T212 Grey/light grey Fantasie Kempen



The fabric colours shown in this brochure can slightly differ from the reality due to the printing deviation.



T251 Grey/charcoal Fantasie Kempen



T263 Grey Fantasie Salland



T273 Grey Fantasie Veluwe




T402 Anthracite Fantasie Betuwe



T451 Grey Fantasie Marne



T382 Sand/beige Block 15 cm



T513 Sand/cream Block 10 cm



T256 Seige/cream Fantasie Meerij



T214 Sand/beige Fantasie Kempen



T252 Taupe/brown Fantasie Kempen



T453 Beige Fantasie Marne



T358 Ochre/yellow Block 15 cm



T521 Ochre/yellow Block 10 cm



T501 Yellow/white Block 10 cm



T264 Orange Fantasie Salland



T274 Orange Fantasie Veluwe



T416 Orange Fantasie Betuwe



T156 Red/cream Block 15 cm




T509 Red/cream Block 10 cm



T511 Burgundy/cream Block 10 cm



T323 Red Fantasie Beemster



T265 Red Fantasie Salland



T275 Red Fantasie Veluwe



T390 Navy/blue Block 15 cm



T354 Blue/cream Block 15 cm



T519 Blue/cream Block 10 cm



T253 Blue/cream Fantasie Meerij



T320 Blue Fantasie Beemster



T266 Blue Fantasie Salland




T276 Blue Fantasie Veluwe



T414 Blue Fantasie Betuwe



T388 Green/light green Block 15 cm




T352 Green/cream Block 15 cm



T517 Green/cream Block 10 cm



T255 Green/cream Fantasie Meerij



T322 Green Fantasie Beemster



T267 Green Fantasie Salland



T277 Green Fantasie Veluwe



T408 Green Fantasie Betuwe





Certifications



We set great store by the quality of our sun protection systems. All our products are compliant with the CE standards and, since the year 2000, have been subjected to extensive testing by TÜV Nord. This is carried out in accordance to multiple DIN-standards. Our sun protection systems are tested on the basis of three criteria:

- Lifespan class
- Waterload class
- Wind resistance class



Lifespan class according DIN EN 13561

Lifespan expresses the number of extension and retraction movements that an exterior sun protection system can withstand. The overview below indicates the various classes applicable in accordance with the EN 13561 standard.

Number of movements	Class 1	Class 2	Class 3
Open and closed	3.000	7.000	10.000

Waterload class according DIN EN 1933

Waterload expresses the number of water in liter/m² per hour that an exterior sun protection system can withstand. This indicates, the quantity rainfall which a fully open sun protection system with a slope of 14° (Corresponds to a slope of 25%) must be able to drain. The following list shows which water load classes there are.

Waterload class	Class 1	Class 2
Quantity rainfall	17 Liter/m ² per hour	56 Liter/m ² per hour



Wind resistance class according DIN EN 1932


Wind load is the maximum force of the wind which an opened exterior sun protection system can withstand. The overview below indicates the various wind resistance classes.

Wind resistance class	Class 0	Class 1	Class 2	Class 3
Beaufort-scale	< 4	4	5	6
V (km/h) (maximum)	< 28 km/h	28 km/h	38 km/h	49 km/h
V (m/s) (maximum)	< 7,8 m/s	7,8 m/s	10,5 m/s	13,6 m/s
Nominal test pressure (N/m ²)	< 40	40	70	110
Safety test pressure 1,2 p (N/m ²)	< 48	48	84	132

Example:

Wind resistance class 1 = Beaufort-scale class 4 = wind speed of max. 28 km/h of 7,8 m/s = pressure of 40 Newton per m².





Your sun protection system dealer: